

Gobi Labs Analytical Report

Hemp Sleepy Chew
Batch # 1018-SC10

10PK



Manifest: 0007083652
METRC ID: 1A4000B0000EE49000000334
Sample Name: B-1018-SC10
Sample Type: IHP- Oral Consumption
License: CID-0015
Licensee: CC Brands
Facility Address: 4945 N. Pearl St, Denver, CO 80216

Test Performed: Homogeneity
Report No: P-7083652-V1
Receive Date: 2021-12-02
Test Date: 2021-12-07
Report Date: 2021-12-08
Sample Condition: Good
Method Reference: GA-OP-06

Scope: The content of ten cannabinoids was determined by an in-house developed method certified by CDPHE for solvent extraction followed by High Performance Liquid Chromatography with Diode Array Detection.

Homogeneity

Pass

	mg/unit	mg/g
Total THC	5.64	0.20
Total Cannabinoids	286.52	10.07
Total THC:CBD Ratio	1 : 43.92	

Total THC = THC + (THCA x 0.877)

Cannabinoid	Target Dose		Sample				Replicate			
	mg/unit	mg/serving	mg/unit	mg/g	% of Total Cannabinoids	%RSD	1	2	3	4
CBDV	NA	NA	ND	0.00	0	NC	ND	ND	ND	ND
CBDA	NA	NA	ND	0.00	0	NC	ND	ND	ND	ND
CBGA	NA	NA	ND	0.00	0	NC	ND	ND	ND	ND
CBG	NA	NA	5.58	0.20	2	NC	5.65	5.29	5.62	5.78
CBD	250.00	25.00	247.81	8.71	86	3.52	250.80	235.95	247.80	256.67
THCV	NA	NA	ND	0.00	0	NC	ND	ND	ND	ND
CBN	25.00	2.50	27.48	0.97	10	3.53	27.85	26.21	27.37	28.50
THC	NA	NA	5.64	0.20	2	NC	5.83	5.39	5.58	5.76
CBC	NA	NA	T	0.00	NC	NC	T	T	T	T
THCA	NA	NA	ND	0.00	0	NC	ND	ND	ND	ND
Net Weight(g)	Average: 28.45						28.25	28.25	28.66	28.66
Servings Per Container	10.00									

ND - Not Detected; T - Trace; NC - Not Calculated

Lab Comments:

Jon Person

Jon Person Client Relations Manager

2021-12-08

Date



This report has been prepared by Gobi Analytical, Inc. exclusively for our Client and their Authorized Representatives. All analytical work is conducted in accordance with a mutually agreed upon scope of work and the terms and conditions as expressed in the Gobi Analytical Inc. Laboratory Service Agreement. This report is not to be reproduced in whole or in part without prior written approval. The results shown on this report relate only to the samples submitted to the laboratory. Estimated Uncertainty available upon request.

• Gobi Analytical •
• 3924 Youngfield St. • Wheat Ridge CO 80033 • ISO/IEC 17025:2017 Accredited • (303)456-2040 •



FJIA Testing Accreditation #103051

Gobi Labs Analytical Report




Manifest: 0007083652
METRC ID: 1A4000B0000EE4900000334
Sample Name: B-1018-SC10
Sample Type: IHP- Oral Consumption
License: CID-0015
Licensee: CC Brands
Facility Address: 4945 N. Pearl St, Denver, CO 80216

Test Performed: Metals
Intended Use: Oral Consumption or Audited Product
Report No: MT-7083652-V1
Receive Date: 2021-12-02
Test Date: 2021-12-03
Report Date: 2021-12-07
Sample Condition: Good
Method Reference: GA-OP-17

Scope: Arsenic, Cadmium, Lead and Mercury were determined by an Inductively Coupled Plasma Mass Spectrometer (ICP-MS) using an in-house developed method.

Metals	Regulatory Limits (ppm)	Parts Per Million (ppm)
Arsenic	< 1.5 ppm	ND
Cadmium	< 0.5 ppm	ND
Lead	< 1 ppm	ND
Mercury	< 1.5 ppm	ND

ND - not detected; T - trace; ULOQ - upper limit of quantitation



Lab Comments:

Astha Gupta, Laboratory Director

2021-12-07

Date



This report has been prepared by Gobi Analytical, Inc. exclusively for our Client and their Authorized Representatives. All analytical work is conducted in accordance with a mutually agreed upon scope of work and the terms and conditions as expressed in the Gobi Analytical Inc. Laboratory Service Agreement. This report is not to be reproduced in whole or in part without prior written approval. The results shown on this report relate only to the samples submitted to the laboratory. Estimated Uncertainty available upon request.



Gobi Labs

Microbial Contaminant Report



Manifest: 0007083652
Sample Type: IHP- Oral Consumption
Test Performed: Microbial
License: CID-0015
Licensee: CC Brands
Facility Address: 4945 N. Pearl St, Denver, CO 80216

Report No: M-7083652-V1
Receive Date: 2021-12-02
Test Date: 2021-12-02
Report Date: 2021-12-06
Sample Condition: Good
Method Reference: MB-OP-02, MB-OP-03, MB-OP-05

METRC Package ID	Product	Salmonella spp.	STEC	TYMC (cfu/g)
1A4000B0000EE49000000334	B-1018-SC10	Negative	Negative	<100

STEC - shiga toxin-producing *Escherichia coli*; TYMC - total yeast and mold count

Laboratory Comments:

Astha Gupta, Laboratory Director

2021-12-06

Date



This report has been prepared by Gobi Analytical, Inc. exclusively for our Client and their Authorized Representatives. All analytical work is conducted in accordance with a mutually agreed upon scope of work and the terms and conditions as expressed in the Gobi Analytical Inc. Laboratory Service Agreement. This report is not to be reproduced in whole or in part without prior written approval. The results shown on this report relate only to the samples submitted to the laboratory. Estimated Uncertainty available upon request.

• Gobi Analytical •
• 3924 Youngfield St. • Wheat Ridge CO 80033 • ISO/IEC 17025:2017 Accredited • (303)456-2040 •

